

HIGH POWER LEDS

Color	DC Forward Voltage V_F [V]		DC Reverse Current I_R [μ A]	Optical Power Output P_o [mW]
	Typ.	Max.		
BLUE	3.6	4.0	50.0	3.0
GREEN	3.5	4.0	50.0	2.0
WHITE	3.6	4.0	50.0	—
BLUISH GREEN	3.6	4.0	50.0	
Condition	$I_F=20mA$		$V_R=5V$	$I_F=20mA$

COLOR	LUMINOUS INTENSITY	DIRECTIVITY
BLUE	3,000 mcd	15 Degrees
GREEN	10,000 mcd	15 Degrees
WHITE	5,600 mcd	20 Degrees
BLUISH GREEN	20,800 mcd	10 Degrees

HIGH POWER LEDS

Color	DC Forward Voltage V_F [V]		DC Reverse Current I_R [μ A]	Optical Power Output P_o [mW]
	Typ.	Max.		
BLUE	3.6	4.0	50.0	3.0
GREEN	3.5	4.0	50.0	2.0
WHITE	3.6	4.0	50.0	—
BLUISH GREEN	3.6	4.0	50.0	
Condition	$I_F=20mA$		$V_R=5V$	$I_F=20mA$

COLOR	LUMINOUS INTENSITY	DIRECTIVITY
BLUE	3,000 mcd	15 Degrees
GREEN	10,000 mcd	15 Degrees
WHITE	5,600 mcd	20 Degrees
BLUISH GREEN	20,800 mcd	10 Degrees